

Enter Email Address Here

Email This Page

Print Page 

< < <

Main Index

>> > >

LSG MKII (Low Smoke Generator) Touring Model

When you need to produce a dramatic and powerful fog effect, the Le Maitre LSG MKII is "The Real Thing". When used with a Le Maitre G300 Fog Machine, the LSG MKII's patented CO2 conditioning process produces a huge, continuous output of low-lying fog. The LSG MKII can achieve many impressive effects including fog curtains and waterfall effects.

The LSG comes with our standard One-Year Warranty on all parts and service



Back

Output:

Fog RunTime:	Continuous
Reheat Time:	Continuous
Fluid Consumption:	3.7 Litres of CO2/ Min

Specifications:

Length:	60 "	152.4 cm
Width:	24 "	61 cm
Height:	35 "	89 cm
Net Weight:	250 lbs	113.4 kg
Rating:	2 amps AC @ 110 volts @ 50/60 hz	
Regulatory Compliance:	CSA-certified for the US and Canadian markets, to the applicable US and Canadian standards.	

SAFE FOR USE ON "LIVE STAGE PERFORMANCES" – This product has been included in the "Equipment Based

Guidelines For the Use of Theatrical Smoke and Haze" that has been prepared with the support of Equity-League Pension and Health Trust Funds, ESTA, et al.
 To view the **Calibration Factors for Monitoring Theatrical Smoke, Fog and Haze** please see the "Downloads" section further down this page.

Shipping Specifications:

This product is shipped as freight.

UPS USA

UPS Canada

Fedex USA

Purolator Canada

Administration Fees Apply

Features:

- Huge, Continuous Output
- Remote, Show Control an DMX Control Available
- Compact, Rugged Design
- Dry, White, Water-Based Effect
- Proven Performance
- Patented CO2 Conditioning Process
- Industry Standard 3/4" CGA CO2 Fitting

Notes:

CLF2956 - LSG Uninsulated 10" 25' Hose
 Material: Polyester
 Coating: Neoprene
 Temperature Range: -45F to 250F
 Compression Ratio: 6:1

Downloads:

Video	LSG MKII Video - (4.10 MB)
Manual	LSG MKII w/ G300 Operator´s Manual - (1.61 MB)
Manual	LSG MKII DMX Interface (New) Operator´s Manual - (106 KB)
Manual	LSG MKII DMX Interface Operator´s Manual - (143 KB)
Cutsheet	LSG MKII Cutsheet - (636 KB)

Models:

Model No.	Description	List
CLF 3975	LSG-L MKII w/ Road Case	\$5600.00
CLF 3976	LSG-L MKII w/ Road Case 220 volt	\$5600.00
CLF 3980	LSG-H MKII w/ Road Case	\$5600.00
CLF 3981	LSG-H MKII w/ Road Case 220 volt	\$5600.00
CLF 3992	LSG MKII Combo High + Low w/ Road Case	\$6300.00
CLF 3996	LSG MKII High Power Combo w/ Road Case	\$7300.00
CLF 4010	LSG MKII High Power w/ Road Case	\$6900.00

All prices are shown in USD

Accessories:

Model No.	Description	List
CLF 2779	LSG Option Only	\$175.00
CLF 2943	LSG DMX Interface 220 Volt	\$579.00
CLF 2944	LSG DMX Interface 110 Volt	\$499.00
CLF 2949	LSG Y-Splitter 10" x 2-10"	\$269.00

CLF 2952	20´ High Pressure CO2 Extension Hose	\$165.00
CLF 2956	LSG Uninsulated 10" Hose 25´	\$650.00
CLF 2957	LSG MKII Rigid Pipe Hose Adaptor (When using Road Case LSG)	\$135.00
CLF 2967	10´ High Pressure CO2 Extension Hose	\$112.00
CLF 2985	10" Automatic Round Damper	\$425.00
CLF 3965	LSG MKII Cart	\$845.00
CLF 3970	LSG MKII Road Case	\$1595.00
CLF 3995	LSG Hanging Kit	\$95.00
CLF 4015	LSG High Power Remote	\$165.00
CLF 4463	Pocket Console	\$665.00

All products priced individually.

All prices are shown in USD



Le Maitre Special Effects
<http://www.lemaitrefx.com>
 Phone Toll Free Direct: 800.388.0617